



n

LED horticulture lighting Disano's new solutions for the farming of the future

LIGHT FOR GROWTH

LED horticulture lighting

Disano's new solutions for the farming of the future

What is horticulture lighting and how is it used?

Horticulture lighting is used to encourage, increase and enable plant growth using artificial lighting. LED lights represent a very efficient and innovative solution for this type of application!

Supplementary lighting

To provide additional quantity and quality of illumination not achieved with the artificial lighting system in order to improve the photosyntentisis and therefore the growth and quality of the plants in greenhouses.

Photoperiod regulation

To control the plant's internal clock. It can be used at the end of the light cycle to trigger plant flowering within short days.

Plant growing in the absence of natural daylight

To fully replace sunlight and control climate conditions.



Introduction

The figures are impressive. Between 2106 and 2020 the LED market for industrial and home horticulture is expected to increase by 86%. A research recently showed that the sector will grow from a net worth of 3.8 billion dollars in 2017 to 8.6 billion in 2022.

And this growth is expected to reach the figure of 17 billion dollars in 2027. The reasons for this expansion are easy to understand if we think of the advantages offered by the safer growing techniques that are using space in more efficient and convenient ways. Big countries like Russia are investing in the creation of huge vertical greenhouses to make better use of space and, above all, to overcome the problems caused by bad weather conditions that have a negative impact on the harvests of fruit and vegetables.

Year	Fruits/Vegetables	Ornamental
2015	50,764,869,730	2,803,653,857
2016	51,654,282,981	2,854,928,150
2017	52,575,254,125	2,907,873,428
2018	53,528,903,099	2,962,543,779
2019	54,516,403,551	3,018,995,340
2020	55,538,986,358	3,077,286,374
2021	56,597,943,424	3,137,477,362
CAGR	2%	2%

Source: Strategies Unlimited

MARKET TREND





disan

ilumi







Greater crop yield Custom-made spectrum can be creat-**Fewer risks** Fungi, bacteria and microbes can be ed according to the needs and growth prevented at particular wavelengths stages of different types of plants I. MAIN ADVANTAGES

Less consumption of space/soil The ability of LED fixtures to dissipate heat enables lamps to be positioned closer to the foliage, for multiple layered or inter-lighting cultivation

Flexibility Dimming levels, light spectrum and timing can be controlled, and allow night and dawn/twilight simulation





Safety

Traditional HPS lamps may break and contaminate crops as a consequence



Effects of LED lighting and advantages of specific spectrum systems

• *Tailored emission spectrum*: ad hoc composition of wavelengths capable of affecting the photomorphogenesis of plants (growth, shape and flowering); the simulation and full control over the various phases of daylight.

• Faster on/off time: lights get instantly to their full light level; adjustment to daylight changes, ensuring higher energy savings.

• Longer lamp life: the extremely long service life of the LEDs (>50000 hours) entails lower maintenance costs and, above all, a quick return on the investment.

• Supplementary lighting: to provide additional quantity and quality of illumination not achieved with the artificial lighting system in order to improve the photosynthesis and therefore the growth and quality of the plants in greenhouses.

• *Plant growing in the absence of natural sunlight:* to fully replace sunlight and control climate conditions.



0

0

Ö

0

Sectors of application:







To meet the world's future demand for food

By the year 2050:

• World population will reach 9.1 billion

• 80% of world's population will live in urban centres Food production will need to increase by 70% to meet the world's population growth in a sustainable and environmentally friendly way (lower consumption of soil, energy resources and water).

Why choose farming in a controlled environment?

- No pests, herbicides or other chemical substances are used
- Safer crops (no droughts or adverse weather conditions)
- No water outflow from irrigation systems
- Control and optimization of temperature, nutrients and light

• Abandoned industrial areas and cultivation zones can be reused inside urban centres

urban farming & greenhouse





Advantages for using LED horticulture:



Up to 75% less energy consumption:

heating and lighting account for up to 35% of the cost of green tomatoes.



Up to 90% less water consumption:

less heat means lower evaporation rates, which will help relieve the global water crisis.



Greater plant growth: higher levels of red light will enhance the growth of tomatoes and increase the vitamin C content in mustard, spinach and green onions.



Lower costs:

long LED life (50000 hours), low maintenance and slow lumen decay.



Sectors of application:





hotel, retail, home



Healthy plants and flowers in stores

LEDs do not benefit only large greenhouses, but also the plants used in interior decorating or in flowers shops.

Home farming is another sector that according to experts is witnessing a steep rise, in line with new eco-friendly trends. Nothing is better for organic food lovers than being able to grow their own salad at home without using pests or chemical fertilizers.



disano

iluminazione



Overhead Lighting (OHL) - Toplighting

Ideal solution for controlling the light spectrum when the lamp is far from the plants

- Specific wavelengths capable of generating the perfect light for any type of cultivation
- Different emissions allow greater uniformity and coverage of the cultivated area
- High PPF for each single LED (50-150 W/m2)
- Low weight to facilitate the installation on glass greenhouses
- Compact sizes to allow more sunlight to enter the greenhouse

Best in class high power LED for Horticulture





Close Canopy Overhead Lighting

Ideal solution for linear applications where lamps are very near the plants

- High lighting uniformity and colour mixing at close distances
- Ideal lighting flux for multi-layer vertical farming applications
- Water resistance (IP67) due to the nearness of the plant with the lamp and in case of hydroponic cultivation







Intra-Canopy Lighting (ICL)

Ideal solution for supplementing the top-down lighting of high plants

- High lighting uniformity at close distances
- Ability to penetrate through foliage
- Implementation of street optics for a lateral light distribution
- Water resistance (IP67) due to the nearness of the plant with the lamp

New solutions for interlighting horticulture





Shop, Hotel and Domestic Lighting

Ideal solution for maintaining green areas indoors and outdoors

- \bullet Versions with general white light sources for use in stores and public
- PlacesVersions with purple light sources for use in home farming applications

White spectrum solutions in human envinronment





The influence of colours on plants

Perfect light for plants does **NOT** mean perfect light for our eyes!

BASIC TERMINOLOGY: PAR vs HUMAN EYES

Special LED sources have been specifically designed to meet the needs of horticulture by following the mechanisms behind plant photosynthesis and morphogenesis (chemical processes by which plants use light to grow and blossom).

Horticulture LED sources are therefore measured according to different parameters compared to the ones used for people's viewing.

The unit for measuring photosynthetic active radiation (PAR) is the photosynthetic photonic flux density (PPFD), i.e. the number of photons reaching the plants to stimulate photosynthesis. PPFD is the number of photons that illuminates plants, yet a single measurement of the PPDF value is not sufficient to define the value for the entire cultivated area because the value depends on multiple factors including the particular design of lighting fixtures and the distance at which fixtures are installed.





Photosynthetically active radiation (PAR) 400-700 nm





Glossary

PAR Region

• Photosynthetically Active Radiation is the bandwidth from 400 nm to 700 nm, which is the light which plants primarily use. Different plants require different wavelength combinations within the PAR region

PPF (Photosynthetic Photon Flux)

- Measured in µmol / s
- Total number of photons emitted per second in the PAR region.
- But how many will reach the plant and at what distance?

PPFD (Photosynthetic Photon Flux Density)

- Measured in µmol / m2
 Represents the number of photons that reaches the plant within the PAR region over a given area.
- It declines exponentially as the distance between the light source and the plant surface increases.

DLI (Daily Lighting Integral)

- Plants need a minimum amount of light per day to meet their basic biological needs. It varies based on species.
- For flowering and fruiting, high levels of light can show significant increases in both the quality and quantity.
- DLI = PPFD (µmol / m2) x 3.600 (s / h) x photoperiod (hours / day)

Plant Lighting Efficacy

- Measured in µmol / J
- It refers to the true efficacy of a lighting fixture for horticulture to convert electric energy into PAR photons

different wavelengths for different needs





In greenhouse farming (and especially in closed systems where sunlight cannot enter) the most expensive factors affecting the end product are the ones regarding the energy consumed by lighting and air exhaust and treatment systems.

	Chlorophyll a		Deep Blue
	Chlorophyll b		Hyper Red
_	Beta-Carotene		Far Red
	Pr		Eq-White
_	Pfr	_	HPS
_	PAR		
_	Phycoerythrin		
	Phycocyanin		
	Allophycocyanin		

The use of LEDs in horticulture will ensure:

• Less energy consumed by the lighting fixtures

. Less energy consumed by air exhaust systems due to less heat emitted by the LEDs and lower evaporation rates

 Longer duration of LED fixtures (HPS lamps decay after only 2000 hours of operation, while LED lights last over 50000 hours)



Wee th (rwn



Improve nature

To guarantee food supply in the future, choose Disano's horticulture LED lights!

Conclusions

- Greenhouses will play an increasingly important role in food supply.
- The globally increasing demand for high-quality food production will lead to a greater demand for greenhouses fit for this purpose.
- Light is the key element to boost plant photosynthesis.
- Light is made up of different wavelengths that help the various phases of plant photosynthesis.
- The light emitted by most traditional light sources (fluorescent or highpressure sodium lamps) is insufficient and expensive.
- The LED technology allows adjusting the light and the lamps to a specific requirement based on the plants' emission spectrum



dedicated Disano Products



The Disano Group addresses the horticulture lighting sector by putting its professional lighting consultants at the complete disposal of users to develop tailor-made solutions by using specialist jargon and a vast expertise in LED lighting, technical characteristics and cultivation layouts.

Disano offers reliable products that can perfectly dissipate heat, withstand humidity and adjust to different types of crops (from hydroponic greenhouses to home farming applications).











www.disano.it