

Disano Home

2026



To inhabit a space means, first and foremost, to define its light: to shape an environment and transform it into a place for living.  
This collection is born from advanced technology and essential forms, designed to integrate naturally into everyday spaces.

P.04 - 09  
P.10 - 13  
P.14 - 17  
P.18 - 19  
P.20 - 23  
P.24 - 27  
P.28 - 31  
P.32 - 33  
P.34 - 37  
P.38 - 39  
P.40 - 41  
P.42 - 43  
P.44 - 45  
P.46

P.47 - 50

48V  
HONEY  
HECTO / BUTTON  
ARQ  
M SERIES  
ISPOT  
LUNA  
CIRCULAR  
LISET 2.0  
KOALA MINI  
PORTOFINO  
PATHWAY  
POCKET  
SKY PANEL

PRODUCT CODES



# 48V

## FOSNOVA 48V

The new Fosnova 48V DC spotlights mounted on low voltage Omnitrack MICRO systems make up the perfect lighting solution in settings where accent lighting with very low energy consumption must also reinforce the style and aesthetics of the room.

DIMM  
DIG



CRI 92

### 48V – SPOTLIGHTS



FOCUS SLIM Q 5.0 – 48V

LENGHT  
160 mm  
WIDTH  
70 mm  
14 W 3000 / 4000 K



FOCUS SLIM Q7 – 48V

LENGHT  
160 mm  
WIDTH  
100 mm  
19 W 3000 / 4000 K



MATRIX C MINI – 48V

LENGHT  
160 mm  
WIDTH  
45 mm  
4 W 3000 K



MATRIX C MINI – 48V

LENGHT  
160 mm  
WIDTH  
65 mm  
8 W 3000 K



FOCUS SLIM T 5.0 – 48V

LENGHT  
160 mm  
Ø 78 mm  
14 W 3000 / 4000 K



FOCUS SLIM T 7.0 – 48V

LENGHT  
166 mm  
Ø 108 mm  
19 W 3000 / 4000 K

DIMM  
DIG



48V - SPOTLIGHTS



ASSO A MINI T - 48V

LENGHT  
160 mm  
Ø 35 mm  
8 W 3000 K



ASSO A MICRO T - 48V

LENGHT  
160 mm  
Ø 25 mm  
4 W 3000 K



ASSO A MINI T FIXED - 48V

LENGHT  
160 mm  
HEIGHT  
49 / 65 mm  
Ø 32 / 45 mm  
5 / 9 W 3000 K



ASSO B SMALL T - 48V

LENGHT  
160 mm  
HEIGHT  
65 mm  
Ø 45 mm  
14 W 3000 K



ASSO A STILO - 48V

HEIGHT  
200 mm / 300 mm / 400 mm  
Ø 30 mm  
3 / 5 / 7 W 3000 K



ASSO A MICRO T SHAPER – 48V




LENGHT

160 mm

Ø 34 mm

5W 3000 K

BEAM ANGLE 0° ÷ 55°





48V - TRACK RAILS



MICRO P TRACK - 48V



MICRO T TRACK - 48V



MICRO H TRACK - 48V



MICRO R TRACK - 48V



POWER SUPPLY  
UNIT ACCESSORY



48V - LIGHT MODULES

DIMM  
DIG

UGR  
<19

CRI>90



MODULE UGR L19  
FOR MICRO TRACK



LISET 2.0 MINI OVAL  
ROTATABLE

LENGHT  
231 / 345 mm  
8 / 12 W 3000 K



OPALE MODULE  
FOR MICRO TRACK - XL



LISET 2.0 MINI - OR

LENGHT  
390 mm  
8 W 3000 K





# HONEY

The Honey range of recessed and ceiling lighting fixtures was developed to meet the most sophisticated demands of contemporary architectural design. With its geometric precision optics and wide selection of refined finishes, Honey offers the perfect balance of advanced lighting technology and bespoke aesthetics. Each luminaire is designed for seamless integration across a variety of settings (retail, commercial, public, cultural, and more), providing fully customisable solutions in terms of light output, shape, and colour. The geometric optics deliver controlled, flexible light distribution, while the versatile colour options offer full creative freedom, highlighting surrounding materials and architectural elements. The main feature of this fixture is its “CCT Switch” technology: thanks to the integrated selector located on the body, it is possible to choose the preferred color temperature (3000 / 4000 / 5700 K), allowing the luminaire to adapt to the majority of installation requirements.



70000h  
L80/B10

50000h  
L90/B10



Ø 94 mm  
10 W 2700 / 3000 / 4000 K



Ø 94 mm  
10 W 2700 / 3000 / 4000 K



Ø 139 mm  
14 W 2700 / 3000 / 4000 K



Ø 139 mm  
14 W 2700 / 3000 / 4000 K



Ø 159 mm  
20 W 2700 / 3000 / 4000 K



Ø 159 mm  
20 W 22700 / 3000 / 4000 K



Ø 189 mm  
23 W 2700 / 3000 / 4000 K



Ø 189 mm  
23 W 2700 / 3000 / 4000 K





# HECTO / BUTTON

Hecto is a wall sconce that provides a wide range of lighting effects by adjusting the fins to the desired light beam angle from 30° to 120°. Its high degree of protection (IP65) makes it ideal for indoor and outdoor lighting applications.

Button is a wall sconce featuring an elegant and contemporary design, perfect for seamlessly integrating into any architectural setting. Its bright and uniform light distribution, combined with a high protection rating (IP65), makes it ideal for both indoor and outdoor lighting applications.

The main feature of this fixture is its “CCT Switch” technology: thanks to the integrated selector located on the body, it is possible to choose the preferred color temperature (3000K–4000K–5700K), allowing the luminaire to adapt to the majority of installation requirements.



## HECTO

LENGHT  
120 mm

WIDTH  
98 mm

HEIGHT  
100 mm

10 W

3000 K



## BUTTON

Ø 160 mm  
Ø 250 mm

WIDTH  
50 mm

8 W / 15 W

3000 / 4000 / 5700 K









# ARQ

The range of Arq recessed LED spotlights are the perfect solution for installations that are designed to hide their physical presence once fitted. These spotlights are shaped to blend perfectly into the false ceilings where they are fitted. Moreover they can be easily installed in any type of space, to create amazing light effects.

DIMM  
DIG



50000h  
L90/B10

CRI 90



ARQ A  
HEIGHT  
59 mm  
Ø 64 mm  
5 W 3000 K



ARQ A 2X  
LENGHT  
175 mm  
WIDTH  
80 mm  
HEIGHT  
102 mm  
10 W 3000 K



ARQ B  
HEIGHT  
80 mm  
Ø 64 mm  
5 W 3000 K



ARQ B ZOOM  
HEIGHT  
70 mm  
Ø 65 mm  
5 W 3000 K



ARQ B 2X  
LENGHT  
125 mm  
WIDTH  
60 mm  
HEIGHT  
79 mm  
10 W 3000 K



ARQ B 3X  
HEIGHT  
94 mm  
Ø 130 mm  
15 W 3000 K



ARQ C  
HEIGHT  
50 mm  
Ø 61 mm  
5 W 3000 K



ARQ D  
HEIGHT  
90 mm  
Ø 55 mm  
5 W 3000 K



MINI ARQ - INCASSO  
HEIGHT  
45 mm  
Ø 20 mm  
2 W 3000 K



MINI ARQ - SPOT  
HEIGHT  
150 mm  
Ø 50 mm  
2 W 3000 K

# M SERIES

This series of compact recessed LED spotlights is designed for accent lighting in modern, refined interiors. With their minimalist, easy-to-install design, these spotlights are perfectly suited to smaller spaces, delivering bright, focused lighting without compromising the aesthetic harmony of the environment. Ideal for highlighting architectural features, artworks, or specific areas within a room, they provide precise, directional lighting with extraordinary energy efficiency. Advanced LED technology ensures a long lifespan and low power consumption, offering both environmental and economic advantages.



50000h  
L90/B10

CRI 90



**M40 A**  
Ø 40 mm  
3 W 3000 K



**M40 B**  
Ø 40 mm  
3 W 3000 K



**M40 C**  
Ø 40 mm  
3 W 3000 K



**M42**  
Ø 42 mm  
3 W 3000 K



**M44 A**  
Ø 44 mm  
3 W 3000 K



**M44 B**  
Ø 44 mm  
3 W 3000 K



**M65 A**  
Ø 65 mm  
10 W 3000 K



**M65 B**  
Ø 65 mm  
10 W 3000 K



**M65 C**  
Ø 65 mm  
10 W 3000 K



**Q65 A**  
LENGHT  
65 mm  
WIDTH  
65 mm  
10 W 3000 K



**Q65 B**  
LENGHT  
65 mm  
WIDTH  
65 mm  
10 W 3000 K



**Q65 C**  
LENGHT  
65 mm  
WIDTH  
65 mm  
10 W 3000 K



**Q65 D**  
LENGHT  
65 mm  
WIDTH  
65 mm  
10 W 3000 K









# ISPOT

Ispot represents the technological evolution of the recessed spotlight, ideal for replacing existing spotlights. The main advantages of this state-of-the-art product are energy savings, great flexibility of use and superior lighting quality.

With the latest generation of LEDs, it is possible to achieve energy savings of up to 80% compared to older products, plus a long service life and excellent light flux maintenance. CCT and POWER switch versions, the range includes luminaires in various wattages, allowing for tailored solutions to suit any installation site. The innovative CCT switch technology revolutionises lighting design by enabling easy adjustment of power and colour temperature. This flexibility ensures that the perfect light can be achieved for every project with minimal effort.



ISPOT HOTEL 1

Ø 90 mm  
10 W  
2700 / 3000 / 4000 K




ISPOT HOTEL 2

LENGHT  
90 mm  
WIDTH  
90 mm  
10 W  
2700 / 3000 / 4000 K




ISPOT HOTEL 3

Ø 90 mm  
10 W  
2700 / 3000 / 4000 K



ISPOT HOTEL 4

Ø 90 mm  
10 W  
2700 / 3000 / 4000 K





CCT  
SWITCH

CRI 90



ISPOT COMFORT MINI

Ø 35 mm  
3 W 3000 K



ISPOT COMFORT 1

Ø 70 mm  
8 W  
2700 / 3000 / 4000 K



ISPOT COMFORT 2

Ø 82 mm  
8 W  
2700 / 3000 / 4000 K



ISPOT COMFORT 3

Ø 92 mm  
8 W  
2700 / 3000 / 4000 K



ISPOT COMFORT 4

Ø 108 mm  
8 W  
2700 / 3000 / 4000 K



ISPOT COMFORT 5

Ø 82 mm  
8 W  
2700 / 3000 / 4000 K





# LUNA

Luna is more than just a lamp: it is a furnishing element that lights up spaces with delicacy and character. Its circular, essential, and harmonious shape recalls the perfection of the full moon, bringing a warm, enveloping, and timeless atmosphere to interior spaces. Designed for modern and refined environments, Luna emits a soft, even light that enhances any space without glare, UGR<19. Its clean, well-balanced design blends naturally into living rooms, bedrooms, studies, and contract settings, becoming a discreet yet distinctive focal point.

Thanks to its minimalist style and strong aesthetic identity, Luna combines functionality and poetry: it illuminates, furnishes, and creates emotion. It is the ideal choice for those seeking a light that is not only technical, but also an expression of style and well-being.

Available in CCT and POWER switch versions, the range includes fixtures in different sizes and power outputs, making it easy to find the most suitable solution for any installation requirement. Power and color adjustment via the CCT switch is a truly innovative technology that allows users to easily select different color temperatures. In this way, the perfect light is delivered for every lighting project, simply and effectively. By selecting the LED power and color according to specific needs, optimal design conditions are always guaranteed.



Ø 300 mm  
12 / 19 W  
3000 / 4000 / 5700 K



Ø 500 mm  
28 / 40 W  
3000 / 4000 / 5700 K



Ø 600 mm  
42 / 60 W  
3000 / 4000 / 5700 K



Ø 800 mm  
56 / 80 W  
3000 / 4000 / 5700 K







# CIRCULAR

The product itself features clean, flowing lines and a regular structure, easily creating clean and pure geometric shapes (such as perfect circles and ovals). This 'less is more' design philosophy perfectly complements various interior design styles, including modern, minimalist, understated luxury, and industrial, and can quickly enhance the texture of a space. High-quality profile rings can be seamlessly spliced using specialized gussets and precise cutting to form complete, smooth rings with no obvious traces at the joints, appearing as if molded from a single piece, presenting a high-end visual effect.

DIMM  
DIG



WIDTH  
70 mm  
Ø 600 mm  
50 W  
3000 / 4000 K



WIDTH  
70 mm  
Ø 900 mm  
80 W  
3000 / 4000 K



WIDTH  
70 mm  
Ø 1200 mm  
110 W  
3000 / 4000 K



WIDTH  
70 mm  
Ø 1500 mm  
130 W  
3000 / 4000 K





# LISET 2.0

Liset 2.0 is the most up-to-date version of a highly successful linear LED fixture, distinguished by the quality of its materials and the most advanced optical technology. High-quality office lighting improves working conditions and boosts productivity. The dark-light optics of Liset 2.0 protect eye health, while the high color rendering enhances visual comfort and improves mood.


The value of the building increases and the company's image is enhanced through eco-friendly solutions that reduce energy consumption. The Liset family includes over 40 versions, allowing the creation of lighting designs that are perfectly tailored to the use of spaces (workstations, meeting rooms, collaboration areas) while achieving the most convincing aesthetic result.

Liset 2.0 can be installed by combining different modules with various optics to obtain differentiated lighting effects. A wide range of solutions, including customized options, is available to meet every functional and design requirement.

Available in black or white, with various optical options, and as a surface-mounted / recessed or suspended installation.



LENGHT  
1500 mm  
FROM 36 W TO 50 W  
3000 / 4000 K



LENGHT  
FROM 600 TO 2100 mm  
FROM 25 W TO 40 W  
3000 / 4000 K



LENGHT  
1500 mm  
FROM 36 W TO 50 W  
3000 / 4000 K



LENGHT  
FROM 600 TO 2100 mm  
FROM 25 W TO 50 W  
3000 / 4000 K



LENGHT  
1500 mm  
FROM 36 W TO 50 W  
3000 / 4000 K



LENGHT  
600 mm  
25 W  
3000 / 4000 K





# KOALA MINI

Koala Mini is the contemporary evolution of a great Disano classic. An outdoor spotlight born from a long tradition of reliability and performance, now reinterpreted with an updated design and technology developed for architectural and landscape lighting.

Designed to offer maximum flexibility, Koala Mini adapts to different installation solutions: ground-mounted, wall-mounted, or pole-mounted. This versatility makes it ideal for enhancing specific elements of the outdoor environment — such as trees, plants, façades, and architectural details — or for creating evocative lighting scenes in gardens, parks, and urban spaces.

Robust, reliable, and carefully detailed, Koala Mini combines precise lighting performance with a sober, modern aesthetic that blends discreetly into any outdoor context. Light thus becomes a design tool, capable of shaping spaces and creating atmosphere, while maintaining the solidity that has always distinguished Disano products.



HEIGHT  
115 mm  
Ø 65 mm  
FROM 5 W TO 10 W  
3000 K



KOALA  
ON WALL



KOALA  
WITH A PICKET



KOALA  
ON A COLUMN  
WITH A PICKET





# PORTOFINO

Portofino: pleasant aesthetics with maximum functionality touch of prestige for any residential setting, with the most energy-efficient lighting technologies. Portofino is a bollard for driveways, parks and pedestrian walkways. Produced in different wall-mounted versions, heights (300 and 600 mm) and diameters, it also features a version with a flat diffuser and 3 versions with a domed diffuser, this bollard is the right solution for any lighting project.

The latest generation of high-efficiency LED sources, with a colour temperature of 3000 / 4000 K and a high colour rendering index, ensure a long lifespan. Portofino also stands out for the high quality materials, with a die-cast aluminum body and column with cooling fins, IP65 protection rating, and a shatterproof and self-extinguishing polycarbonate diffuser. It comes with a connector for connection to the power line and the base plate for wall installation.



LENGHT  
145 mm  
WIDTH  
145 mm  
HEIGHT  
600 mm  
10 W 4000 K



LENGHT  
145 mm  
WIDTH  
145 mm  
HEIGHT  
300 mm  
10 W 4000 K





# PATHWAY

Pathway is a compact recessed LED fixture designed to integrate discreetly into both walls and floors. Its extremely small dimensions make it the ideal solution where space is limited, yet the lighting effect must remain precise, elegant, and effective. Designed as a step light, Pathway guides the way with soft, uniform illumination, enhancing safety without causing glare. It is particularly suitable for corridors, staircases, outdoor walkways, entrances, and transit areas where visibility must be consistent and reliable. Its controlled light distribution enhances architectural surfaces and volumes, contributing to welcoming and functional atmospheres. Thanks to high-efficiency LED technology, Pathway ensures low energy consumption and long operational life, minimizing maintenance requirements and operating costs. The recessed installation allows seamless integration into materials, leaving only the light visible for a clean and contemporary result. Ideal for residential, commercial, and hospitality applications, Pathway combines functionality and design in a compact yet distinctive product, capable of defining pathways, highlighting level changes, and creating refined lighting accents in any environment.

50000h  
L90/B10

CRI 90



PATHWAY Q

LENGHT  
40 mm  
WIDTH  
40 mm  
HEIGHT  
48 mm

3 W 3000 / 4000 K



PATHWAY Q1

LENGHT  
50 mm  
WIDTH  
50 mm  
HEIGHT  
28 mm

3 W 3000 / 4000 K



PATHWAY R

HEIGHT  
48 mm  
Ø 40 mm

3 W 3000 / 4000 K



PATHWAY R1

HEIGHT  
28 mm  
Ø 50 mm

3 W 3000 / 4000 K



PATHWAY B1

HEIGHT  
60 mm  
Ø 60 mm

2 W 3000 K



PATHWAY B2

HEIGHT  
60 mm  
Ø 60 mm

2 W 3000 K



PATHWAY C1

HEIGHT  
13 mm  
Ø 70 mm

0.4 W 3000 K



PATHWAY C2

HEIGHT  
13 mm  
Ø 70 mm

0.9 W 3000 K



PATHWAY C3

HEIGHT  
13 mm  
Ø 70 mm

1 W 3000 K

# POCKET

**POCKET SMALL** Pocket, the multi-format LED step light, is the perfect solution for illuminating pathways, stairs, driveways, and corridors, both indoors and outdoors. Thanks to its availability in various shapes and sizes, it perfectly adapts to any design and functional requirement.

**POCKET** Pocket LED is a residential step light designed for both indoor and outdoor use. Available in round and square designs, these lights effortlessly combine high aesthetic appeal with exceptional functionality and are offered in both recessed and wall-mounted versions. They also deliver excellent lighting performance, thanks to advanced LED sources and premium-quality materials that ensure durability and a long service life. With their minimalist design, these technologically advanced step lights not only illuminate evening pathways but also serve as elegant decorative elements, enhancing every access point and transit route.



**POCKET 1**  
RECESSED

LENGTH  
136 mm

WIDTH  
78 mm

HEIGHT  
136 mm

5 W 3000K



**POCKET 2**  
RECESSED

LENGTH  
136 mm

WIDTH  
78 mm

HEIGHT  
202 mm

5 W 3000K



**POCKET 4**  
RECESSED

LENGTH  
250 mm

WIDTH  
37 mm

HEIGHT  
114 mm

10 W 3000K



**POCKET 5 ROUND**  
RECESSED

WIDTH  
40 mm

Ø 114 mm

5 W 3000K



**POCKET 5 ROUND**  
RECESSED

WIDTH  
78 mm

Ø 135 mm

5 W 3000K



**POCKET 6 ROUND**  
RECESSED

WIDTH  
78 mm

Ø 202 mm

8 W 3000K



**POCKET SMALL**  
WALL

LENGTH  
120 mm

WIDTH  
36 mm

HEIGHT  
120 mm

6 W 3000 / 4000 K



**POCKET 6 ROUND**  
WALL

WIDTH  
37 mm

Ø 180 mm

8 W 3000K





# SKY PANEL

Sky Panel is a family of recessed ceiling luminaires designed to recreate the effect of sunlight and open sky within a room. It is a range of LED fixtures specifically developed to simulate natural daylight in windowless environments. This type of artificial lighting helps regulate our biological clock, improving mood, reducing stress, and promoting overall well-being. In addition, it creates a brighter and more natural atmosphere, making spaces feel larger and more comfortable. Once installed, Sky Panel's comfort optic emits a beam of light that reproduces the effect of sunlight filtering through a window on a beautiful sunny day. It is an excellent solution for anyone wishing to enjoy the benefits of natural sunlight even in enclosed spaces.

The advantages of using this luminaire are numerous:

## ARCHITECTURAL BENEFITS

- Enhances and improves the environment and the textures of the furnishing elements within the space
- Increases the perception of space and adds decorative value to the environment

## PHYSIOLOGICAL BENEFITS

- Improves visual comfort
- Enhances sleep rhythm and quality
- Helps balance bodily functions

## PSYCHOLOGICAL BENEFITS

- Reduces anxiety and stress
- Contributes to improving mood
- Increases work efficiency



SKY PANEL A

LENGTH  
596 mm

WIDTH  
596 mm



SKY PANEL B

LENGTH  
296 mm

WIDTH  
296 mm



SKY PANEL R2

LENGTH  
596 mm

WIDTH  
296 mm

Photometric data, performance, and lighting specifications may be subject to change and improvement due to rapid technological developments.

LED color temperatures are subject to the tolerances defined by the LED manufacturer. Any changes will be reported on our websites throughout the year.

Please note that only a few items are listed in the brochure; additional products are available on the website and in the catalog.

For special versions, product alternatives, or specific configurations, codes, and prices, please contact our office or local agents.

## PRODUCT CODES

48V	P.04 – 09		
SPOTLIGHTS			
	FOCUS SLIM Q 5.0 – 48V		22108733–1241 22108734–1241 22108735–1241
	FOCUS SLIM Q7 – 48V		22108833–1241 22108834–1241 22108835–1241
	MATRIX C MINI – 48V	L 45 mm L 65 mm	22103733–1241 22103238–1241
	FOCUS SLIM T 5.0 – 48V		22109430–1241 22109431–1241 22109432–1241
	FOCUS SLIM T 7.0 – 48V		22109530–1241 22109531–1241 22109532–1241
	ASSO A MINI T – 48V		22044133–1241
	ASSO A MINI T FIXED – 48V	Ø32 Ø45	22044136–1241 22044137–1241
	ASSO A MICRO T – 48V		22044131–1241
	ASSO A MICRO T SHAPER – 48V		22044135–1241
	ASSO B SMALL T – 48V		22040930–1241 22040931–1241 22040932–1241 22040933–1241
TRACK RAILS			
	MICRO P TRACK – 48V	L 1000 mm L 2000 mm L 3000 mm	22960030–00 22960031–00 22960032–00
	MICRO H TRACK – 48V	L 1000 mm L 2000 mm L 3000 mm	22960033–00 22960034–00 22960035–00
	MICRO T TRACK – 48V	L 1000 mm L 2000 mm L 3000 mm	22960036–00 22960037–00 22960038–00
	MICRO R TRACK – 48V	L 2000 mm	22960039–00
	POWER SUPPLY DRIVER		22960130–00 22962030–00
LIGHT MODULES			
	MODULE UGR L19 FOR MICRO TRACK		22962330–1241
	OPALE MODULE FOR MICRO TRACK – XL	L 674 mm L 1174 mm L 1674 mm	22962530–1241 22962531–1241 22962532–1241
	LISSET 2.0 MINI OVAL ROTATABLE	8 W 12 W	22012630–1241 22012631–1241
	LISSET 2.0 MINI – OR		22012530–1241

HONEY		P.10 – 13	
Ø 94 mm	BLACK / WHITE	22073130-00	
	BLACK / BLACK	22073131-00	
	BLACK / GOLD	22073132-00	
	BLACK / CHROME	22073133-00	
	WHITE / WHITE	22073110-00	
	WHITE / BLACK	22073111-00	
	WHITE / GOLD	22073112-00	
	WHITE / CHROME	22073113-00	
Ø 139 mm	BLACK / WHITE	22073230-00	
	BLACK / BLACK	22073231-00	
	BLACK / GOLD	22073232-00	
	BLACK / CHROME	22073233-00	
Ø 139 mm	WHITE / WHITE	22073210-00	
	WHITE / BLACK	22073211-00	
	WHITE / GOLD	22073212-00	
	WHITE / CHROME	22073213-00	
Ø 159 mm	BLACK / WHITE	22073330-00	
	BLACK / BLACK	22073331-00	
	BLACK / GOLD	22073332-00	
	BLACK / CHROME	22073333-00	
Ø 159 mm	WHITE / WHITE	22073310-00	
	WHITE / BLACK	22073311-00	
	WHITE / GOLD	22073312-00	
	WHITE / CHROME	22073313-00	
Ø 189 mm	BLACK / WHITE	22073430-00	
	BLACK / BLACK	22073431-00	
	BLACK / GOLD	22073432-00	
	BLACK / CHROME	22073433-00	
Ø 189 mm	WHITE / WHITE	22073410-00	
	WHITE / BLACK	22073411-00	
	WHITE / GOLD	22073412-00	
	WHITE / CHROME	22073413-00	

ARQ		P.18 – 19	
ARQ A	WHITE	22047010-00	
	BLACK	22047030-00	
ARQ A 2X	WHITE	22047011-00	
	BLACK	22047031-00	
ARQ B	WHITE	22047110-00	
	BLACK	22047130-00	
ARQ B ZOOM	WHITE	22047111-00	
	BLACK	22047131-00	
ARQ B 2X	WHITE	22047113-00	
	BLACK	22047133-00	
ARQ B 3X	WHITE	22047112-00	
	BLACK	22047132-00	
ARQ C	WHITE	22047210-00	
	BLACK	22047230-00	
ARQ D	WHITE	22047310-00	
	BLACK	22047330-00	
MINI ARQ – INCASSO	WHITE	22047116-00	
	BLACK	22047136-00	
MINI ARQ – SPOT	WHITE	22047211-00	
	BLACK	22047231-00	

---

M SERIES	P.20 – 23		
	M40 A	22031630-00	
	M40 B	22031631-00	
	M40 C	22031632-00	
	M42	22032030-00	
	M44 A	22032130-00	
	M44 B	22032131-00	
	M65 A	22032210-00	
	M65 B	22032211-00	
	M65 C	22032212-00	
	Q65 A	22032311-00	
	Q65 B	22032310-00	
	Q65 C	22032312-00	
	Q65 D	22032313-00	

---

ISPOT	P.24 – 27		
	ISPOT HOTEL 1	WHITE	22067710-00
		BLACK	22067730-00
	ISPOT HOTEL 2	WHITE	22067712-00
		BLACK	22067732-00
	ISPOT HOTEL 3	WHITE	22067910-00
		BLACK	22067930-00
	ISPOT HOTEL 4	WHITE	22067912-00
		BLACK	22067932-00
	ISPOT COMFORT MINI	WHITE	22168510-00
		BLACK	22168530-00
		WHITE ASIMM.	12168511-00
	ISPOT COMFORT 1	WHITE	22168010-00
		BLACK	22168030-00
	ISPOT COMFORT 2	WHITE	22168110-00
		BLACK	22168130-00
	ISPOT COMFORT 3	WHITE	22168210-00
		BLACK	22168230-00
	ISPOT COMFORT 4	WHITE	22168310-00
		BLACK	22168330-00
	ISPOT COMFORT 5 ASIMM.	WHITE	22168410-00
		BLACK	22168430-00

LUNA	P.28 – 31	Ø 300 mm	WHITE	143400-0041
			BLACK	143401-0041
	Ø 500 mm	WHITE	143410-0041	
		BLACK	143411-0041	
	Ø 600 mm	WHITE	143420-0041	
		BLACK	143421-0041	
	Ø 800 mm	WHITE	143430-0041	
		BLACK	143431-0041	

CIRCULAR	P.32 – 33	Ø 600 mm	WHITE	22224610-1241
			WHITE	22224610-3941
	BLACK		22224630-1241	
	BLACK		22224630-3941	
	Ø 900 mm	WHITE	22224710-1241	
		WHITE	22224710-3941	
		BLACK	22224730-1241	
		BLACK	22224730-3941	
	Ø 1200 mm	WHITE	22224810-1241	
		WHITE	22224810-3941	
		BLACK	22224830-1241	
		BLACK	22224830-3941	
	Ø 1500 mm	WHITE	22224910-1241	
		WHITE	22224910-3941	
		BLACK	22224930-1241	
		BLACK	22224930-3941	

KOALA MINI	P.38 – 39	ART. 1438		431705-00
	ACC. 159			991313-00
	ART. 1439		6 W	431715-00
		12 W	431716-00	

---

PORTOFINO	P.40 – 41		
	ART. 1865	GRAPHITE CHROME	511156-00 511157-00
	ART. 1865	GRAPHITE CHROME	511145-00 511147-00

---

PATHWAY	P.42 – 43		
	PATHWAY Q	WHITE	22035310-00
		BLACK	22035330-00
		SATIN	22035370-00
	PATHWAY Q1	WHITE	22035311-00
		BLACK	22035331-00
		SATIN	22035371-00
PATHWAY R	WHITE	22035411-00	
	BLACK	22035431-00	
	SATIN	22035471-00	
PATHWAY B1		22035570-00	
PATHWAY B2		22035571-00	
PATHWAY C1		22035670-00	
PATHWAY C2		22035671-00	
PATHWAY C3		22035672-00	

---

SKY PANEL	P.46 – 47		
	SKYPANEL A	596 × 596 mm	22186310-00
	SKYPANEL R2	596 × 296 mm	22187010-00
	SKYPANEL B	296 × 296 mm	22186810-00

In domestic settings, hotels, light guides and reveals, connecting people, architecture, and materials. The range includes solutions for both indoor and outdoor spaces; the outdoor proposals echo the elegance and technical precision of the indoor fixtures, leaving room for what is illuminated. It is a flexible light, capable of adapting to different design and living needs.

Art direction  
Mauro Merlini with Noa Merlini, Agnese Pozzobon, Martina Valente

All images are simulated images of product installation  
© Disano 2026

[www.disano.it](http://www.disano.it)



 **Fosnova**

**disano** ●  
illuminazione